







DW OFFICE PHONE

DW Office PHONE is a single-sided premium wireless DECT headset for quality-conscious business professionals demanding exceptional performance and supreme comfort. Designed for all-day use, the DW Office PHONE connects directly to your desk phone to deliver excellent sound quality around the office. The iconic design of the DW Office PHONE puts it in a class of its own.

Sound leadership

Featuring Sennheiser Voice Clarity and a noise-cancelling microphone, the DW Office PHONE gives users a natural listening experience while maximizing speech intelligibility for both speaker and listener. Advanced wideband audio and DSP (Digital Signal Processing) ensure clear, detailed sound for a better conversational experience in noisy working environments.

Quality design

With its award-winning iconic design, the DW Office PHONE stands out for style and performance. From its distinctive base station, with simple setup and intuitive user interface to its lightweight headset, the DW Office PHONE is designed to both look good and provide all-day wearing comfort.

User focus

DW Office PHONE is designed to maximize productivity and flexibility in busy offices

with its long distance wireless range up to 180 m (590 ft) with line of sight and 55 m (180 ft) in a typical office environment. A DECT protected frequency band eliminates interference with WIFI networks and efficient encryption ensures secure conversations. Easy call management, convenient phone conferencing and hot desking offer maximum flexibility.

With 8 hours of wideband and 12 hours of narrowband for a full workday of talk time, the DW Office PHONE features intelligent fast charging, which delivers 50% in just 20 minutes. ActiveGard® provides protection against acoustic injury and a volume limiter guarantees a safe sound level at all times. The FlexFit™ wearing style system offers the choice between a headband, ear hook or neckband* solution for the perfect customized fit.

Features and Benefits:

- Sennheiser Voice Clarity wideband sound for natural listening experiences
- Connects seamlessly with your desk phone
- Noise-cancelling microphone for speech clarity
- Digital Signal Processing for echo cancelling and audio equalization
- Iconic design form and function combine for premium looks and performance

- Perfect customized fit with the FlexFit[™] system, offering 3 wearing style solutions. Choose between headband, ear hook or neckband*
- Lightweight headset design for all-day comfort
- Simple product setup with DIP Switches
- Intuitive user interface with answer/end**, microphone mute and volume +/-
- Full workday of talk time 8 hours of wideband and 12 of hours narrowband
- Intelligent fast charging delivers 50% in just 20 minutes
- DECT protected frequency band without interference with WIFI networks
- Efficient encryption for secure conversations
- Long distance wireless range up to 180 m (590 ft) with line of sight – 55 m (180 ft) in typical office environment
- Hot desking with fast, secure pairing
 simply dock in the base station
- Phone conferences intuitive and easy setup of up to 4 headsets with same base station
- ActiveGard® technology protects users against acoustic injury caused by sudden sound burst on the line
- Two years warranty for peace of mind
- * Neckband available as accessory
- ** Answer/end call requires EHS cable for desk phone

Product Information


Product name	DW Office PHONE - EU	DW Office PHONE - UK	DW Office PHONE - US	DW Office PHONE - AUS		
Order name	DW 10 PHONE – EU	DW 10 PHONE – UK	DW 10 PHONE – US	DW 10 PHONE – AUS		
EAN No.	40 4415505164 3	40 4415505165 0	40 4415505166 7	40 4415505167 4		
UPC No.	6 1510418160 1	6 1510418162 5	6 1510418163 2	6 1510418164 9		
Art. No.	504430	504431	504432	504433		
Product description	Wireless DECT headset (single-sided) with base station for desk phone; convertible (headband or ear hook)					
Technical Data		, ,				
DECT for EU, UK, AUS	DECT (1.880 to 1.900 MHz)				
DECT for US	DECT 6.0 (1.920 to 1.930 N					
GAP compatible	Yes (Headset)	,				
Headset	Connects to base station					
Base Station	Connects to desk phone					
Headset Auto Link to Base	Yes, can be activated on th	ne hase station				
Firmware requirement			ase refer to sennheiser com/	cco/software		
EHS (Electronic Hook Switch)	For newest version please check Sennheiser Updater. Please refer to sennheiser.com/cco/software Yes (accessory – order EHS adapter separately)					
Mechanical Hook Lifter	HSL 10 (accessory – order separately)					
Microphone	TISE TO (accessory - order	зерагатету)				
Frequency response Wideband Mode	– ————————————————————————————————————					
Frequency response Narrowband Mode	300 Hz – 3.5 KHz					
Mute Microphone						
	Yes					
Speaker	Noodymium Magnet Cheal	/or				
Speaker type	Neodymium Magnet Speak	ker				
Frequency response Wideband Mode	150 Hz – 6.8 KHz					
Frequency response Narrowband Mode	300 Hz – 3.5 KHz					
General Data		1442.05)				
Operational temperature range	+5 °C to + 45 °C (+41 °F to					
Storage temperature range	-20 °C to + 70 °C (-4 °F to	+158 °F)				
Weight, ear hook version	24 g / 0.86 oz					
Weight, headband version	50 g / 1.76 oz					
Ear pad size	ø 50 mm / 1.96 in	!!!\				
Battery (Lithium Polymer)	Exchangeable for service (s					
Personalization	Yes with nameplate on hea	laset				
Range – line of sight	180 m / 590 ft					
Range – in typical office building	55 m / 180 ft					
Automatic power adjustment	Yes (distance between hea	dset and base)				
Talk time in Wideband Mode	Up to 8 hours					
Talk time in Narrowband Mode	Up to 12 hours					
Stand by time	Up to 100 Hours					
Auto – headset OFF when out of range	Yes after 30 minutes					
Charge time 0 – 50%	20 minutes					
Charge time 0 – 100%	1 hour					
Packaging						
Package dimensions (H x W x D)	16.5 cm x 16 cm x 16 cm					
Package weight	940 g / 32.9 oz					
Units in distributor master carton	8					
Master carton dimensions (H x W x D)	36 x 38 x 38 cm / 14.18 x 3	14.9 / x 14.9 / in				
Master carton weight	8.85 kg / 19.51 lb					
Safety						
Automatic Acoustic Shock	YES → ActiveGard [®]					
Protection	VEC A ctivation by discon	(itch				
EU/AUS Limiter depending on regional variant	YES Activation by dip sw	/Itch				
Delivery content						
 Headset (with name plate for ear hook a 	nd distance holder)					
Respectation	nd distance noider)					

- Base Station
- Power supply
- Audio phone cableHeadband (detachable)
- 1 ear hook adapter with pre-mounted ear hook with leatherette sleeve and earbud size S
 Extra earbuds size M and L
- Name plate holder for headband and name plate instruction
- Printed Quick Guide
- Printed Safety Guide

Product Information

Accessories				
	Order name	Art. No	EAN No.	UPC No.
Audio cable - RJ45-RJ11	RJ45-RJ11-audio cable	506094	40 44155 096187	6 15104 26002 3
Audio cable - RJ45-2.5mm	RJ45-2.5mm-audio cable	506467	40 44155 098839	6 15104 26371 0
EHS Avaya adapter	CEHS-AV 03	504536	40 44155 081671	6 15104 23371 3
EHS Avaya adapter	CEHS-AV 04	504589	40 44155 087987	6 15104 24686 7
EHS Avaya adapter	CEHS-AV 05	506037	40 44155 090291	6 15104 25053 6
EHS Shore Tel adapter	CEHS-SH 01	504590	40 44155 088038	6 15104 24692 8
EHS Snom adapter	CEHS-SN 01	504101	40 44155 047394	6 15104 17408 5
EHS Snom adapter	CEHS-SN 02	504188	40 44155 074574	6 15104 22297 7
EHS Alcatel adapter	CEHS-AL 01	504102	40 44155 047400	6 15104 17422 1
EHS Cisco adapter	CEHS-CI 01	504103	40 44155 047417	6 15104 17423 8
EHS Cisco adapter	CEHS-CI 02	504533	40 44155 080230	6 15104 23183 2
EHS Cisco adapter	CEHS-CI 03	506038	40 44155 090307	6 15104 25054 3
EHS Polycom adapter	CEHS-PO 01	504104	40 44155 047424	6 15104 17424 5
EHS DHSG adapter	CEHS-DHSG	504105	40 44155 047431	6 15104 17425 2
Mobile phone adapter	CEHS-MB 01	506033	40 44155 089165	6 15104 24889 2
Handset Lifter	HSL 10	500712	40 44156 012384	6 15104 11795 2
Neckband*	NB 20	506525	40 44155 209044	6 15104 27272 9
Interface box for AEI EHS	TCI 01	500275	40 44156 001913	6 15104 10232 3
Headset Charger	CH 10	504366	40 44155 050998	6 15104 18053 6
Spare Headset Charger - USB	CH 10 USB	504365	40 44155 051001	6 15104 18055 0
Multi USB Power Source	MCH 7	504348	40 44155 050820	6 15104 18030 7
Single components	11017	304340	40 44133 030020	0 1310+10030 7
single components	Order name	Art. No	EAN No.	UPC No.
Single headset of DW 10	DW 10 HS	504324	40 44155 050585	6 15104 17992 9
DW Base set PHONE	DW BS PHONE - EU	504442	40 44155051766	6 15104 18178 6
DW Base set PHONE	DW BS PHONE - UK	504444	40 44155 051780	6 15104 18180 9
DW Base set PHONE	DW BS PHONE - US	504443	40 44155 051773	6 15104 18179 3
DW Base set PHONE	DW BS PHONE - AUS	504445	40 4415 5051797	6 15104 18181 6
Note: Headset and base station can				
Base includes power supply and aud		allows a Zilu licauset to b	e added to any DW Series base	station of used as a spare.
Spare parts				
- Par - Par	Order name	Art. No	EAN No.	UPC No.
Power supply US	UNI PS US 01	92893	40 12418 928933	6 15104 92893 0
Power supply AUS	UNI PS AUS 01	520334	40 44156 023083	6 15104 13459 1
Power supply UK	UNI PS UK 01	92892	40 12418 928926	6 15104 92892 3
Power supply EU	UNI PS EU 01	94707	40 12418 947071	6 15104 94707 8
Spare battery	DW BATT 03	504374	40 44155 051087	
• •				6 15104 18067 3
Headband 	SHS 02 DW 10 spare	504344	40 44155 050783	6 15104 18024 6
Earpad	HZP 25 DW 10	504349	40 44155 050837	6 15104 18031 4
Name plate set	Name plate set, DW 10	504353		6 15104 18036 9
			40 44155 050875	
	RJ 45 - RJ9 - DW	504364	40 44155 050981	6 15104 18052 9
Ear hook with leatherette sleeve, click-on adapter and earbuds		504364 506524		
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L)	RJ 45 - RJ9 - DW		40 44155 050981	6 15104 18052 9
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve	RJ 45 - RJ9 - DW HSA 20	506524	40 44155 050981 40 44155 209037	6 15104 18052 9 6 15104 27271 2
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L)	RJ 45 - RJ9 - DW HSA 20	506524	40 44155 050981 40 44155 209037	6 15104 18052 9 6 15104 27271 2
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter	RJ 45 - RJ9 - DW HSA 20 EH 20	506524	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals	RJ 45 - RJ9 - DW HSA 20 EH 20	506524	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10	506524	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406	506524	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1	506524 506523 504032	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of	506524 506523 504032 ref. EN 62209-1	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safet	506524 506523 504032 ref. EN 62209-1	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA:	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of	506524 506523 504032 ref. EN 62209-1	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA: Approved by	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safe No. 231437	506524 506523 504032 ref. EN 62209-1 ety requirements of CSA	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA: Approved by	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safe No. 231437 Industry Canada RSS 213 Is	506524 506523 504032 ref. EN 62209-1 ety requirements of CSA	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA: Approved by	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safe No. 231437 Industry Canada RSS 213 Is IC ID 2099 D-TDB1 (base sta	506524 506523 504032 ref. EN 62209-1 ety requirements of CSA sue 2 etion)	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Audio cable RJ 45 – RJ 9 Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA: Approved by Canada:	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safe No. 231437 Industry Canada RSS 213 Is	506524 506523 504032 ref. EN 62209-1 ety requirements of CSA sue 2 etion)	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA: Approved by Canada:	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safe No. 231437 Industry Canada RSS 213 Is IC ID 2099 D-TDB1 (base st. IC ID 2099 D-TDH1 (headse	506524 506523 504032 ref. EN 62209-1 ety requirements of CSA sue 2 ation) t)	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5
Ear hook with leatherette sleeve, click-on adapter and earbuds (size S, M, L) Ear hook with leatherette sleeve and earbuds (size S, M, L) Fixation kit for Handset Lifter Type approvals Worldwide Europe CE USA: Approved by Canada:	RJ 45 - RJ9 - DW HSA 20 EH 20 Fixation kit - HSL10 TCO '07 EMC - EN 301489-6 RADIO - EN 301406 Safety - EN 60950-1 SAR (headset) - EN 50360 of This product meets the safe No. 231437 Industry Canada RSS 213 Is IC ID 2099 D-TDB1 (base st. IC ID 2099 D-TDH1 (headse FCC 47 CFR Part 15 (d)	506524 506523 504032 ref. EN 62209-1 ety requirements of CSA sue 2 ation) t)	40 44155 050981 40 44155 209037 40 44155 209020	6 15104 18052 9 6 15104 27271 2 6 15104 27270 5

^{*} Requires the click-on adapter provided with DW Office products with FlexFit™ system or the HSA 20 accessory set



Experience Sennheiser

Perfection is always relative: Users have different expectations from their headsets and speakerphones depending on their needs. For professional users, that need is to communicate as effectively as possible.

With Sennheiser's range of headsets and speakerphones, the combination of exceptional HD sound, quality design and build – and a focus on real life usability – give the best performance possible in busy offices, call centers and Unified Communications environments.

Please visit us at: www.sennheiser.com/cco



Sennheiser is one of the world's leading manufacturers of headphones, microphones, wireless transmission systems and high-quality headsets for both business and entertainment.

Drawing on the electro acoustics expertise of Sennheiser and the leading hearing healthcare specialist William Demant, Sennheiser Communications' wireless and wired headsets and speakerphones for contact centers, offices and Unified Communications professionals are the result of Sennheiser's and William Demant's joint leadership in sound quality, design, wearing comfort and hearing protection.

For further information, please visit: www.sennheiser.com/cco

Sennheiser Communications A/S

Industriparken 27 · DK-2750 Ballerup · Denmark